

Safety Data Sheet E-6500 according to the Hazardous Products Regulation (February 11, 2015)

according to the Hazardous Products Regulation (February 11, 2015) Date of issue: 02-28-2014 Revision date: 03-28-2023 Supersedes: 01-01-2021 Version: 1.0

SECTION 1: Identification	
1.1. Product identifier	
Product form	: Mixture
Product name	: NOXIVENT
Other means of identification	: Nitrogen and Nitric Oxide
Product group	: Core Products
1.2. Recommended use and restrictions	on use
Recommended uses and restrictions	: Medical applications.
1.3. Supplier	
Linde Canada inc. 500 — 5015 Spectrum Way Mississauga - Canada L4W 0E4 T 1-905-803-1600 - F 1-905-803-1682 www.lindecanada.ca	
1.4. Emergency telephone number	
Emergency number	 1-800-363-0042 Call emergency number 24 hours a day only for spills, leaks, fire, exposure, or accidents involving this product. For routine information, contact your supplier or Linde sales representative.
SECTION 2: Hazard identification	
2.1. Classification of the substance or m	ixture
GHS-CA classification Gases under pressure : Compressed gas H28	0
2.2. GHS Label elements, including prec	autionary statements
GHS-CA labelling	
Hazard pictograms	GHS04
Signal word	: WARNING
Hazard statements	: CONTAINS GAS UNDER PRESSURE; MAY EXPLODE IF HEATED
Precautionary statements	 Do not handle until all safety precautions have been read and understood Use and store only outdoors or in a well-ventilated place. Use a back flow preventive device in the piping. Use only with equipment rated for cylinder pressure. Close valve after each use and when empty. Protect from sunlight when ambient temperature exceeds 52°C (125°F).
2.3. Other hazards	
Other hazards which do not result in classification 2.4. Unknown acute toxicity (GHS CA)	: CONTAINS GAS UNDER PRESSURE; MAY EXPLODE IF HEATED. Asphyxiant in high concentrations.
Not applicable	



Safety Data Sheet E-6500

according to the Hazardous Products Regulation (February 11, 2015) Date of issue: 02-28-2014 Revision date: 03-28-2023 Supersedes: 01-01-2021

Version: 1.0

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

J.2. WIXtures			
Name	CAS No.	% (Vol)	Common Name (synonyms)
Nitrogen	(CAS No) 7727-37-9	99.9001 – 99.9999	Nitrogen (liquified) / Nitrogen gas / Nitrogen, liquefied / NITROGEN / Nitrogen, compressed
Nitric oxide	(CAS No) 10102-43-9	0.0001 – 0.0999	Nitric oxide / Nitrogen oxide (NO) / Nitric monoxide / Nitric oxide (NO) / Nitric oxide, compressed / Nitrogen(II) oxide / Nitricoxide

SECTION 4: First-aid measures	
4.1. Description of first aid measures	
First-aid measures after inhalation	: Remove to fresh air and keep at rest in a position comfortable for breathing. If not breathing, give artificial respiration. If breathing is difficult, trained personnel should give oxygen. Call a physician.
First-aid measures after skin contact	: Adverse effects not expected from this product.
First-aid measures after eye contact	: Immediately rinse with water for a prolonged period while holding the eyelids wide open. Get immediate medical advice/attention. Immediately flush eyes thoroughly with water for at least 15 minutes. Hold the eyelids open and away from the eyeballs to ensure that all surfaces are flushed thoroughly. Contact an ophthalmologist immediately.
First-aid measures after ingestion	: Ingestion is not considered a potential route of exposure.
4.2. Most important symptoms and effe	cts (acute and delayed)
Symptoms/injuries	: No additional information available
Most Important Symptoms/Effects	: Asphyxiant in high concentrations.
4.3. Immediate medical attention and special treatment, if necessary	
Other medical advice or treatment	: None.

SECTION 5: Fire-fighting measures		
5.1. Suitable extinguishing media		
Suitable extinguishing media	: Use extinguishing media appropriate for surrounding fire.	
5.2. Unsuitable extinguishing media		
No additional information available		
5.3. Specific hazards arising from the	hazardous product	
Reactivity	: None.	
Reactivity in case of fire	: No reactivity hazard other than the effects described in sub-sections below.	
5.4. Special protective equipment and precautions for fire-fighters		
Firefighting instructions	: Evacuate all personnel from the danger area. Use self-contained breathing apparatus (SCBA) and protective clothing. Immediately cool containers with water from maximum distance. Stop flow of gas if safe to do so, while continuing cooling water spray. Remove ignition sources if safe to do so. Remove containers from area of fire if safe to do so. On-site fire brigades must comply with their provincial and local fire code regulations.	
Protection during firefighting	: Compressed gas: asphyxiant. Suffocation hazard by lack of oxygen.	
Special protective equipment for fire fighters	 Standard protective clothing and equipment (Self Contained Breathing Apparatus) for fire fighters. 	
Other information	: Containers are equipped with a pressure relief device. (Exceptions may exist where authorized.).	
SECTION 6: Accidental release me	asures equipment and emergency procedures	

6.1. Personal precautions, protective equipment and emergency procedures	
Personal Precautions, Protective Equipment and Emergency Procedures : General measures : Ensure adequate ventilation. Personal Precautions, Prote and Emergency Procedures : EVACUATE ALL PERSONNEL FROM AFFECT appropriate protective equipment. If leak is on user's equipment, be certain to before attempting repairs. If leak is on a container or container valve contact to Canada location.	TED ARĖA. Use purge piping



Safety Data Sheet E-6500

according to the Hazardous Products Regulation (February 11, 2015) Date of issue: 02-28-2014 Revision date: 03-28-2023 Supersedes: 01-01-2021

Version: 1.0

6.2. Methods and materials for containment and cleaning up		
For containment Methods for cleaning up	 Try to stop release if safe to do so. This material is an Asphyxiant Gas. Any leaks should be handled by Emergency Response personnel. For assistance call your supplier. Dispose of contents/container in accordance with local/regional/national/international regulations. Contact supplier for any special requirements. 	
SECTION 7: Handling and storage		
7.1. Precautions for safe handling		
Precautions for safe handling	: Wear leather safety gloves and safety shoes when handling cylinders. Protect cylinders from physical damage; do not drag, roll, slide or drop. While moving cylinder, always keep in place removable valve cover. Never attempt to lift a cylinder by its cap; the cap is intended solely to protect the valve. When moving cylinders, even for short distances, use a cart (trolley, hand truck, etc.) designed to transport cylinders. Never insert an object (e.g, wrench, screwdriver, pry bar) into cap openings; doing so may damage the valve and cause a leak. Use an adjustable strap wrench to remove over-tight or rusted caps. Slowly open the valve. If the valve is hard to open, discontinue use and contact your supplier. Close the container valve after each use; keep closed even when empty. Never apply flame or localized heat directly to any part of the container. High temperatures may damage the container and could cause the pressure relief device to fail prematurely, venting the container contents. For other precautions in using this product, see section 16.	
7.2. Conditions for safe storage, includ	ing any incompatibilities	
Storage conditions	: Store in a cool, well-ventilated place. Store and use with adequate ventilation. Store only where temperature will not exceed 52 °C (125 °F). Firmly secure containers upright to keep them from falling or being knocked over. Install valve protection cap firmly in place by hand. Store full and empty containers separately. Use a first-in, first-out inventory system to prevent storing full containers for long periods.	
	OTHER PRECAUTIONS FOR HANDLING, STORAGE, AND USE: When handling product under pressure, use piping and equipment adequately designed to withstand the pressures to be encountered. Never work on a pressurized system. Use a back flow preventive device in the piping. Gases can cause rapid suffocation because of oxygen deficiency; store and use with adequate ventilation. If a leak occurs, close the container valve and blow down the system in a	

safe and environmentally correct manner in compliance with all international, federal/national, state/provincial, and local laws; then repair the leak. Never place a container where it may

SECTION 8: Exposure controls/personal protection

8.1. Control parameters		
Nitric oxide (10102-43-9)		
USA - ACGIH	ACGIH OEL TWA [ppm]	25 ppm
USA - OSHA	OSHA PEL TWA [1]	30 mg/m ³
USA - OSHA	OSHA PEL TWA [2]	25 ppm
Canada (Quebec)	VEMP (OEL TWA)	31 mg/m ³
Canada (Quebec)	VEMP (OEL TWA) [ppm]	25 ppm
Alberta	OEL TWA	31 mg/m ³
Alberta	OEL TWA [ppm]	25 ppm
British Columbia	OEL TWA [ppm]	25 ppm
Manitoba	OEL TWA [ppm]	25 ppm
New Brunswick	OEL TWA	31 mg/m ³
New Brunswick	OEL TWA [ppm]	25 ppm
New Foundland & Labrador	OEL TWA [ppm]	25 ppm
Nova Scotia	OEL TWA [ppm]	25 ppm
Nunavut	OEL STEL [ppm]	38 ppm
Nunavut	OEL TWA [ppm]	25 ppm

become part of an electrical circuit.



Safety Data Sheet E-6500

according to the Hazardous Products Regulation (February 11, 2015) Date of issue: 02-28-2014 Revision date: 03-28-2023 Supersedes: 01-01-2021 Version: 1.0

Nitric oxide (10102-43-9)		
Northwest Territories	OEL STEL [ppm]	38 ppm
Northwest Territories	OEL TWA [ppm]	25 ppm
Ontario	OEL TWA [ppm]	25 ppm
Prince Edward Island	OEL TWA [ppm]	25 ppm
Québec	VEMP (OEL TWA)	31 mg/m ³
Québec	VEMP (OEL TWA) [ppm]	25 ppm
Saskatchewan	OEL STEL [ppm]	38 ppm
Saskatchewan	OEL TWA [ppm]	25 ppm
Yukon	OEL STEL	45 mg/m ³
Yukon	OEL STEL [ppm]	35 ppm
Yukon	OEL TWA	30 mg/m ³
Yukon	OEL TWA [ppm]	25 ppm
8.2. Appropriate engineering controls		

Appropriate engineering controls

: USE ONLY IN A CLOSED SYSTEM. An explosion-proof, corrosion-resistant, forced-draft fume hood is preferred. Provide adequate general and local exhaust ventilation. Ensure exposure is below occupational exposure limits (where available).

8.3. Individual protection measures/Personal protective equipment

Personal protective equipment

: Gloves. Face shield. Safety glasses.



Hand protection	: Wear work gloves when handling containers. Wear heavy rubber gloves where contact with product may occur.
Eye protection	: Wear safety glasses with side shields. Select in accordance with the current CSA standard Z94.3, "Industrial Eye and Face Protection", and any provincial regulations, local bylaws or guidelines. Safety eye wear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists or dusts. Select in accordance with the current CSA standard Z94.3, "Industrial Eye and Face Protection", and any provincial regulations, local bylaws or guidelines.
Respiratory protection	: Respiratory protection: Use air supplied respirator when working in confined space or where local exhaust or ventilation does not keep exposure below OEL (if applicable). Select in accordance with provincial regulations, local bylaws or guidelines. Respirators should also be approved by NIOSH and MSHA. For emergencies or instances with unknown exposure levels, use a self-contained breathing apparatus (SCBA).
Thermal hazard protection	: Wear cold insulating gloves when transfilling or breaking transfer connections.
Environmental exposure controls	: Environmental exposure controls: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.
Other information	: Other protection : Safety shoes for general handling at customer sites. Metatarsal shoes and cuffless trousers for cylinder handling at packaging and filling plants. Select in accordance with the current CSA standard Z195, "Protective Foot Wear", and any provincial regulations, local bylaws or guidelines. For working with flammable and oxidizing materials, consider the use of

SECTION 9: Physical and c	hemical properties
9.1. Information on basic phy	vsical and chemical properties
(a) Physical state	: Gas
(b) Colour	: Colourless.
(c) Odour	: No data available.
Odour threshold	: No data available
(d) Melting point	: No data available
Freezing point	: No data available

flame resistant anti-static safety clothing.



Safety Data Sheet E-6500 according to the Hazardous Products Regulation (February 11, 2015) Date of issue: 02-28-2014 Revision date: 03-28-2023 Supersedes: 01-01-2021 Version: 1.0

(e) Boiling point	: No data available
(f) Flammability	: Non flammable
(g) Flammability (solid, gas)	: Not Flammable
(h) Flash point	: No data available
(i) Auto-ignition temperature	: No data available
(j) Decomposition temperature	: No data available
(k) pH	: Not applicable.
(I) Viscosity, kinematic	: Not applicable.
(m) Solubility	: Water: No data available
(n) Partition coefficient – n-octanol/water [log Pow/log Kow]	: Not applicable.
(o) Vapour pressure	: Not applicable.
(p) Density	:
Relative gas density	: No data available
(r) Particle characteristics	: No data available
(v) Oxidizing properties	: None.
(w) Relative evaporation rate (butylacetate=1)	: No data available
Relative evaporation rate (ether=1)	: Not applicable.

9.2. **Other information**

No additional information available

SECTION 10: Stability and reactivity		
Reactivity	: None.	
Chemical stability	: Stable under normal conditions.	

SECTION 11: Toxicological information		
11.1 Likely routes of exposure	: Inhalation	
11.2 Symptoms related to the physical, chemical, and toxicological characteristics	: No additional information available	
11.3 Delayed and immediate effects and chronic effects		
Acute toxicity (oral)	: Not classified	
Acute toxicity (dermal)	: Not classified	
Acute toxicity (inhalation)	: Not classified	
Skin corrosion/irritation	: Not classified	
	pH: Not applicable.	
Serious eye damage/irritation	: Not classified	
	pH: Not applicable.	
Respiratory or skin sensitization	: Not classified	
Germ cell mutagenicity	: Not classified	
Carcinogenicity	: Not classified	
Reproductive toxicity	: Not classified	
Specific target organ toxicity (single exposure)	: Not classified	



Safety Data Sheet E-6500 according to the Hazardous Products Regulation (February 11, 2015) Date of issue: 02-28-2014 Revision date: 03-28-2023 Supersedes: 01-01-2021 Version: 1.0

Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified

11.4 Toxicity

NOXIVENT	
LC50 inhalation rat (ppm)	No data available
· · · · · · · · · · · · · · · · · · ·	
Nitric oxide (10102-43-9)	
LC50 inhalation rat (ppm)	57.5 ppm/4h

SECTION 12: Ecological information		
12.1. Toxicity		
No additional information available		
12.2. Persistence and degradability		
NOXIVENT		
Persistence and degradability	No ecological damage caused by this product.	
Nitrogen (7727-37-9)		
Persistence and degradability	No ecological damage caused by this product.	
12.3. Bioaccumulative potential		
NOXIVENT		
Log Pow	Not applicable.	
Log Kow	Not applicable.	
Bioaccumulative potential	No ecological damage caused by this product.	
Nitric oxide (10102-43-9)		
Log Pow	Not applicable.	
Log Kow	Not applicable.	
Nitrogen (7727-37-9)		
Log Pow	Not applicable for inorganic gases.	
Log Kow	Not applicable.	
Bioaccumulative potential	No ecological damage caused by this product.	
12.4. Mobility in soil		
NOXIVENT		
Mobility in soil	No data available.	
Log Pow	Not applicable.	
Log Kow	Not applicable.	
Nitric oxide (10102-43-9)		
Mobility in soil	No data available.	
Log Pow	Not applicable.	
Log Kow	Not applicable.	
Ecology - soil	Because of its high volatility, the product is unlikely to cause ground or water pollution.	
Nitrogen (7727-37-9)		
Mobility in soil	No data available.	
Log Pow	Not applicable for inorganic gases.	
Log Kow	Not applicable.	
Ecology - soil	No ecological damage caused by this product.	



Safety Data Sheet E-6500 according to the Hazardous Products Regulation (February 11, 2015) Date of issue: 02-28-2014 Revision date: 03-28-2023 Version: 1.0 Supersedes: 01-01-2021

12.5. Other adverse effects		
Effect on the ozone layer	: None.	
SECTION 12: Disposal consideration		
ECTION 13: Disposal considerations roduct/Packaging disposal recommendations : Dispose of contents/container in accordance with local/regional/national/international regulations. Contact supplier for any special requirements.		
SECTION 14: Transport information		
14.1. Basic shipping description		
In accordance with TDG		
TDG		
UN-No. (TDG)	: UN1956	
TDG Primary Hazard Classes	: 2.2 - Class 2.2 - Non-Flammable, Non-Toxic Gases	
Proper shipping name	: COMPRESSED GAS, N.O.S.	
Explosive Limit and Limited Quantity Index	: 0.125 L	
Passenger Carrying Road Vehicle or Passenger		
Carrying Railway Vehicle Index	. 75L	
14.2. Air and sea transport		
IMDG		
UN-No. (IMDG)	: 1956	
Proper Shipping Name (IMDG)	: COMPRESSED GAS, N.O.S.	
Class (IMDG)	: 2.2 - Non-flammable, non-toxic gases	
ΙΑΤΑ		
UN-No. (IATA)	: 1956	
Proper Shipping Name (IATA)	: COMPRESSED GAS, N.O.S.	
Class (IATA)	: 2 - Gases	
SECTION 15: Regulatory information		
15.1. National regulations		
Nitric oxide (10102-43-9)		
Listed on the Canadian DSL (Domestic Substan	nces List)	
Nitrogen (7727-37-9)		
Listed on the Canadian DSL (Domestic Substan	nces List)	
15.2. International regulations		
Nitric oxide (10102-43-9)		
Listed on the AICS (Australian Inventory of Chemical Substances)		
Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)		
Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances) Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory		
Listed on the Japanese ISHL (Industrial Safety and Health Law)		
Listed on the Korean ECL (Existing Chemicals List) Listed on NZIoC (New Zealand Inventory of Chemicals)		
Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)		
Listed on the United States TSCA (Toxic Subst	ances Control Act) inventory	
Listed on INSQ (Mexican National Inventory of Chemical Substances)		



Safety Data Sheet E-6500

according to the Hazardous Products Regulation (February 11, 2015)

🖊 Linde	according to the Hazardous Pr	oducts Regulation (February 11, 2	2015)	
Cuntuc	Date of issue: 02-28-2014	Revision date: 03-28-2023	Supersedes: 01-01-2021	Version: 1.0
Nitrogen (7727-37-9)				
Listed on IECSC (Inventory of E Listed on the EEC inventory EIN Listed on the Korean ECL (Exis Listed on NZIoC (New Zealand Listed on PICCS (Philippines In Listed on the United States TSC		duced or Imported in China) sting Commercial Chemical Su cal Substances)) inventory	ubstances)	
SECTION 16: Other infor				
Date of issue	: 28/02/2014			
Revision date	: 28/03/2023			
Supersedes	: 01/01/2021			
ndication of changes: Other information	and evaluate th Consult an ind Before using a Linde Canada hazards and si employees, ag product hazard product, and (3 hazards and si The opinions e believe that the Since the use Canada Inc, it Linde Canada independent d SDSs for these	two or more chemicals, you of he safety information for each lustrial hygienist or other trained any plastics, confirm their comp asks users of this product to s afety information. To promote gents, and contractors of the ir ds and safety information, (2) f 3) ask each purchaser to notify afety information. expressed herein are those of e information contained hereir of this information and the cor is the user's obligation to dete Inc, SDSs are furnished on sa istributors and suppliers who e products, contact your Linde om www.lindecanada.ca.	component before you produced person when you evaluate batibility with this product. Study this SDS and become a safe use of this product, a us formation in this SDS and of furnish this information to eac y its employees and customer qualified experts within Linde is current as of the date of the ditions of use are not within the termine the conditions of safe use or delivery by Linde Canaco backage and sell our products	ce the mixture. the end product. ware of the product er should (1) notify any other known h purchaser of the rs of the product Canada Inc. We his Safety Data Shee he control of Linde use of the product. da Inc, or the s. To obtain current

NFPA health hazard	: 0 - Exposure under fire conditions would offer no hazard beyond that of ordinary combustible materials.	
NFPA fire hazard	: 0 - Materials that will not burn.	
NFPA instability	: 0 - Normally stable, even under fire exposure conditions, and are not reactive with water.	
NFPA specific hazard	: SA - This denotes gases which are simple asphyxiants.	
HMIS III Rating		
Health	: 0 Minimal Hazard - No significant risk to health	
Flammability	: 0 Minimal Hazard - Materials that will not burn	
Physical	: 2 Moderate Hazard - Materials that are unstable and may undergo violent chemical changes at	

: 2 Moderate Hazard - Materials that are unstable and may undergo violent chemical changes at normal temperature and pressure with low risk for explosion. Materials may react violently with water or form peroxides upon exposure to air.

SDS Canada (GHS) - Linde NEW

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.